EUROPEAN
ROADMAP for an
algae-based industry

ABG
AlgaeBioGas

Algae – Wastewater – Biogas

Robert Reinhardt
AlgEn, algal technology centre, Slovenia
robert@algen.si

Agenda

- Algae – Wastewater – Biogas
  - Algal Bacterial Wastewater treatment
  - Biogas – recover energy from biomass
  - Algal-bacterial **treatment** of biogas digestate
  - Algae as biogas **feedstock**
- AlgaeBioGas project

Wastewater

- Wastewater
  - organic compounds
  - nitrogen (mostly ammonia)
  - other nutrients (P)
  - other pollutants (heavy metals)
  - Chemical/Biological Oxygen Demand (COD/BOD)
- Algae & wastewater
  - Nature's method to treat wastewater
  - Technologically used for at least 60 years

Algal bacterial process
Biological Aerobic Wastewater Treatment



ABG
Co-funded by the Eco-innovation Initiative of the European Union
EUROPEAN ROADMAP for an ALGAE-BASED industry
algen algal technology centre
KOTO

Algal bacterial process
Photosynthesis



Co-funded by the Eco-innovation Initiative of the European Union

Algal Bacterial (ALBA) Wastewater Treatment



Co-funded by the Eco-innovation Initiative of the European Union

Algal Bacterial (ALBA) Wastewater Treatment

- lagoon treatment
- shifting objectives in the past (energy was "free", no GHG paranoia)
- purpose of ALBA biomass
- algae : bacteria - C : N
- more diverse microbial community → less sensitive to sudden changes (antibiotics, biocides, salt, …)
- can use additional CO_2

A research topic of today

- no state of the art universal solutions
- algae bacterial community is unstable → needs to be tightly controlled
- WW may be dark – no light for algae – no oxygen for bacteria
- removal of heavy metals, accumulated toxic substances, salt, …
- should be independent of weather
- harvesting – sedimentation, DAF, …
- dark / light sections - how long oxygenation lasts?
- floc ecology, auto-flocculation

Wastewater as nutrient source

- Negative price of nutrients
- Essential for any large scale low cost products

- Algae & biogas – basic technology for energy and nutrient recuperation from wastewater

Biogas

- Anaerobic digestion
  - Anaerobic bacteria (Archaea) converting organic matter to methane (and H_2, CO_2, H_2S, …)
- A waste treatment technology



Biogas flavours

- Landfill gas
- Wastewater sludge
- Bio waste
- Wastewater (anaerobic treatment)
- Agricultural waste
- Energy crops

- Biogas is the most efficient biofuel



LSI group

www.acs-environment.com



HTI tanks

Biogas plants

- Different technology levels
- Mesophilyc / thermophilic
- Biogas use
  - Heat
  - Combined heat and power (CHP)
  - Gas networks (enriched biogas)
- Legislation & subsidies
  - Gas grid ↔ CHP
  - Waste ↔ energy crops
  - Access to power grid
  - Nitrogen vulnerable zones



EurObserv'ER

Biogas digestate

- Ideally: all organics consumed
- Ideal agricultural fertilizer



Biogas digestate

- In reality:
  - Very dilute (80-150 m^3/ha)
  - Logistics
    - Storage
    - Transportation
    - Machinery
  - Agro-technical problems
    - Liquid
    - Nutrient flushing from soil
- Separation to liquid and solid phase
  - Solid – like ordinary fertilizer
  - Liquid – wastewater, with only limited application to soil
- Waste, end-of-waste directive, control & monitoring

Liquid biogas digestate

- One of the hard-to-treat substances
- COD 8000 – 50000 mg O_2/L
- Classical WW processing (3 – 20 €/m^3)
  - Energy consuming conversion or organics and nutrients to CO_2 and N_2
  - Loss of energy and nutrients
- Alternatives:
  - Drying
  - Ultrafiltering
  - Reverse osmosis
  - …
- Algal treatment

AlgaeBioGas Basic Cycle

digestate as
source of nutrients

CO_2

biogas
heat & power

algal biogas
substrate

algal products

Co-funded by the Eco-innovation
Initiative of the European Union

Algae as biogas substrate

- Hard to digest
- C : N ratio (high C substrate should be added)
- Pre-treatment required
  - Heating, enzymatic, fungal, bacterial, ultrasonification, pressure shock, …
- Thermophilic process optimal
- If done properly biogas productivity comes close to corn silage (based on dry weight)
- Depends on species & composition
- Cannot be cost effective unless grown on wastewaer or digestate

AlgaeBioGas Project

- Algal treatment of biogas digestate and feedstock production
- An Eco-Innovation project (CIP-EIP-Eco-Innovation-2012)
- Pilot and market replication project
- Two partners:
  - AlgEn, algal technology centre,
  - KOTO, biogas operator, animal waste treatment facility both in Ljubljana, Slovenia

AlgaeBioGas Objectives

- Objectives:
  - Demonstration centre design, construction, operation
  - Prepare technology for replication
  - Market development activities
- Now in Month 32/36:
  - Demonstration centre operational
  - Legislation analysis, LCA, business planning
  - Complementary technologies being tested
  - Technical development (controls, ponds)
  - Presentations & visits

Subsystems



- Ponds: main & inoculation
- Mixing equipment
- Greenhouse
- Heating & cooling
- Exhaust gas supply (cooling, purification)
- Digestate supply (separation, anaerobic filter, storage)
- Sedimenter / clarifier & recycling
- Switching to DAF
- Control system

ABG
Co-funded by the Eco-innovation Initiative of the European Union
EUROPEAN ROADMAP for an ALGAE-BASED industry
algen algal technology centre
KOTO

Location


Biogas plant
AlgaeBioGas
Biofilter
CHP
Gas motor
Heat exchanger
WWT plant
Digestate separation
Image © 2014 DigitalGlobe

Greenhouse, ponds, mixing, CO_2









ABG

Co-funded by the Eco-innovation Initiative of the European Union

EUROPEAN ROADMAP for an ALGAE-BASED industry

algen algal technology centre

KOTO

Digestate preparation

Control & instrumentation










Observed performance (digestate treatment)

- Model **biogas CHP with 1 MWe**
- to recycle major part of nutrients
  - area 3 - 5 ha
  - volume 3000 – 17000 m^3
  - 60 – 200 t algae bacterial biomass p.a.
  - use approx the same amount of waste paper pulp (or other carbon rich substrate)
  - replacing 120 – 400 t dry mass of corn = 360 – 1200 t of corn silage
  - replacing 8 – 26 ha of corn fields

Future



- Installation #2 in Italy (0.5 ha)
- Complementary technologies:
  - Digestate pre-treatment
  - Auto(bio)flocculation, DAF
  - ALBA biomass pre-treatment for biogas
  - Animal feed trials (fish, chicken)
- Technical & manufacturing
  - More cost-effective ponds
  - Better performance & more control
- **Partners**: sales & implementation service

ABG
Co-funded by the Eco-innovation Initiative of the European Union
EUROPEAN ROADMAP for an ALGAE-BASED industry
algen algal technology centre
KOTO

Future

- An H2020 project Saltgae: Demonstration project to prove the techno-economic feasibility of using algae to treat saline wastewater from the food industry (in negotiation phase)
- Demonstration site for treating tannery wastewater

Thank you for your attention

- Questions?

- Welcome to visit the ABG AlgaeBioGas demonstration centre.